
Awnings Patio roofs Glasoasen®

TEXTILE PATIO ROOF


WEINOR PERGOTEX II







Cubic awning



Max. dimensions

Installation on walls, ceilings and rafters



Up to wind scale 6
according to the Beaufort wind resistance scale

TEXTILE PATIO ROOF

WEINOR PERGOTEX II


weinor PergoTex II, the pergola awning with a weatherproof canopy, combines the textile lightness of an awning with the stability of a solid construction and creates protected outdoor space.

Specially developed for weinor PergoTex II: the Pergona® fabric collection – as Pergona® classic (almost opaque) or Pergona® translucent (light-permeable). Rainwater is drained into the post in a controlled manner via the integrated drainage system. The fabric runs precisely in the lateral guide rails and remains taut permanently. LED lighting, Tempura heating system and integrated vertical shading complement the system in a modular way – up to the extension as a Glasoase®.

Modular system – very easy to retrofit as a weinor Glasoase®




Highlights / Equipment



Warm white light accents for atmospheric moments



Pergona® fabrics – waterproof, robust, classic or translucent



Rainproof fabric, integrated drainage via guttering and post

Additional quality accessories




Tempura Quadra heating system for pleasant warmth and more time outdoors



Accent light for targeted light accents on your patio

Flexible shading from weinor for pleasant light, more peace and quiet, privacy and a balanced climate



Vertical sun protection: VertiTex II
All-glass elements: Glazing elements for extension to a Glasoase®

weinor PergoTex II – technical details

Technology	
Max. width	7 m (1-part) / 14 m (multi-section unit)
Min. – max. roof depth	6.5 m
Roof gradient	0° – 25°
Rain protection	From 8° gradient (rain class 2)
Post dimension	11.5 x 11.5 cm
Motor drive	Standard

Depending on the design, differing distances between centre lines and the resultant additional roof panels can occur. Further individual shapes and maximum dimensions possible upon request.

Distinguished with:

M&T 2016 Produkt des Jahres

Label d'or – Élu produit du BTP par les professionnels 2016


reddot award 2016 best of the best

A wide range of frame colours for your patio roof as well as matching awning fabrics for integrated sun protection – perfectly matched to your architecture and style.
More information can be found under: **weinor.com/architecture-mood**

Individual control packages

The fitting solution for all operation requests:
A wide range of options for controlling weinor patio roofs, integrated lighting and supplementary awnings exist – via cable, remote control or smart home, via hand transmitter, smartphone or automatic weather control.

More information under: weinor.com/control



More information under: weinor.com/weinorpergotex2

Installation and model versions



Wall connection frame



Multi-section units

Rain drainage

The integrated water drainage system diverts rain in a controlled manner through the height-adjustable post – maintenance-friendly and concealed in the construction.




Post corner water outlet

Statics and stability

The weinor PergoTex II is tested up to wind resistance class 3 (wind strength 6 Bft). The load-bearing construction and robust pull system ensure precise opening and retraction even under windy weather conditions and ensure long-term reliability.

Installation examples



Post attachment on concrete floor slabs or foundations

Foundation



Load-bearing wall connection, load distribution in case of non-load-bearing house wall

Subject to technical modifications as well as range/programme changes. The product range may vary from country to country. All the illustrated equipment is weatherproof outdoor furniture and accessories. For technical reasons, the colours may vary. 04/26