Novetta awnings
Prima awnings

Exclusive oases of shade



Nova Hüppe GmbH
awnings. nordic. authentic.


nova hüppe

Nova Hüppe GmbH
awnings. nordic. authentic.

nova hüppe

Fig. Novetta CC compact awning

Prima awnings





Prima T range:


Prima T


Prima TS

Prima cassette awnings:

Prima CC


Prima C1












Novetta awnings


Novetta open awnings:

Novetta Basic

Novetta Plus 1

Novetta XS | XH













Novetta compact awnings:

Novetta Plus H


Novetta CC

Novetta Plus 2

Novetta cassette awnings:

Novetta Plus Q

Novetta Plus F







Prima awnings –
The first step into the awning world

Articulated arm awnings in the Prima series with a particularly attractive price-performance ratio.


Whether the Prima T | TS back bar awning, the exclusive Prima CC compact cassette awning or the fully enclosed Prima C1 cassette awning:
With a powder-coated frame, aluminium fixings and arm mounts and robust articulated arms with a twin cable, your enjoyment of the awning will last for many summers.




Proven hook-in technology with extruded aluminium brackets ensures a secure hold



Robust hook-in fixing also for the cassette awnings in the Prima range



Hook-in bracket for variable attachment to the awning box




Bracket for hook-in fixing for exacting fixing requirements, available in different widths




Pitch adjuster made of drop-forged aluminium with an automatically locking windlock mechanism







Arm mounts made of extruded aluminium ensure a firm hold of the articulated arms



Prima C1 cassette awning with a functional die-cast aluminium side cap

Novetta awnings –
It can be so beautiful at home


With Nova Hüppe awnings, it is possible to design a new outdoor living space to suit your personal taste.

Safe in terms of technology, versatile in terms of function and individual in terms of equipment and design, Novetta awnings turn sun shading into an element of lifestyle and give every building a touch of luxury.

The articulated arms of extruded aluminium with internal low-noise springs maximise the service life of even large systems to the extreme. Forces are transferred reliably over an idler chain.



Novetta Plus 2 double articulated arm awning with an additionally extendible area




Novetta Plus F flat cassette with optional solar-powered drop down valance





Drop-forged aluminium arm mount with a windlock mechanism and tilt reset



Other benefits: Flexible mounting area and a small number of fixing brackets



Novetta Plus F is also available on request with up to seven dimmable LED spotlights (mounted in the base profile!)

Novetta Plus F: The elegant flat cassette


The Novetta Plus F is a fully enclosed cassette awning that is particularly distinguished by its flat design (overall height of 15 cm).


With its "self-supporting structure", this type of awning offers extremely high stability, so that only two attachment points are required in almost all cases.

Another plus point of this excellent awning: The Novetta Plus F can be manufactured in one piece with three articulated arms up to a width or 800 cm and a projection of 400 cm!


A perfect design and great functionality ultimately make the Novetta Plus F the top model among cassette awnings.







Compact look when closed



Novetta Plus F drop down valance available with solar drive or winding handle

Also closed at the side: Novetta retractable side awning

Works like a roller blind – only it is fixed to the wall at the side.
The retractable side awning forms the perfect lateral closure of your awning and your optional additional drop down valance. Trapezoidal shapes can also be adapted to the awning pitch!





Tuchempfehlung Twilight

Novetta Plus F drop down valance – For that extra convenience

Outstanding quality and unpresuming elegance – the hallmarks of the Novetta Plus F. This enclosed cassette awning has now experienced a relaunched look and an engineering upgrade in the form of a drop down valance. This integrated new feature can be fitted with a solar drive and operated together with the awning from the one remote control. For even greater convenience on terraces and balconies!


The optional drop down valance in a cubic cassette provides protection against the low-lying sun and can be automated with a self-powered photovoltaic drive. No switches or Hirschmann plugs are needed, so the Novetta Plus F and the drop down valance can be operated together from the one remote control. The preferred shading can therefore be configured with consummate ease!

For a cosy evening ambience, the Novetta Plus F can be fitted with up to seven LED spotlights integrated in the base profile. This lighting can also be adjusted conveniently from the io radio remote.






When the awning is closed, all profiles move close to each other. This means that a relatively small installation space is required for this double awning



The additional area offers additional, exclusive shading – the outstanding feature of the Novetta Plus 2



For installation in unprotected places, the attractive cover panel provides good protection of the fabric

Novetta Plus 2: The double awning with additional benefits

The exclusive Novetta Plus 2 opens up new dimensions in awning technology. Its additional extendible area creates more space outdoors and protects against the low sun, prying eyes and provides a feeling of security.

The substantially revised, harmonious design of the Novetta Plus 2 offers a low overall depth even when the awning is retracted.


And with the cover panel to protect against the weather, optimum protection for the awning and fabric is ensured even in unprotected areas of the house wall.




Nova Hüppe GmbH
awnings. nordic. authentic.

nova hüppe


Fig. Prima C1 cassette awning



A puristic design and optimal functionality: The Novetta Plus Q when it is closed



The end cap of the front profile assimilates the cubic lines of the box



The optionally available rear panel closes off the box for ceiling or rafter mounting






Novetta Plus Q: A cassette awning in a cubic design

With its puristic, cubic design, the Novetta Plus Q cassette awning is very similar to the shading system. Here too, the straight lines and square design of the awning box impress any onlookers.


A modern cassette awning that can be perfectly incorporated and integrated into the current architecture that is oriented toward clear structures, especially in single and semi-detached houses.

The mechanics with drop-forged arm mounts and highly resilient chain-operated articulated arms come from the Novetta modular system that has been tried and tested over many years. The pitch is infinitely adjustable between 5 and 40°.





The flat overall height is only 14 cm and the pitch can be infinitely adjusted up to 45°




The gap between the cassette and the wall is sealed off visually using colour-matched aluminium covers


Prima C1: The sophisticated cassette awning

A compact and sophisticated design and an extremely small cassette height are distinguishing features of the Prima C1. It is also extremely easy to install – This cassette awning can be mounted on the wall, ceiling or rafters depending on your requirements.

Sophisticated technology – The awning fabric and articulated arms are protected – and an attractive design forms an outstanding unit in the Prima C1.







The Prima CC cuts a fine figure especially when it is closed

Side view of the Prima CC with attractive profiles and aluminium side caps





The almost identical Novetta CC is optimally protected from the wind and weather when it is retracted

The tilt reset in the pitch adjuster allows the tilt to be adjusted individually





Prima CC:
The alternative compact cassette

The Prima CC with its compact cassette ensures optimum protection from the wind and weather. The awning fabric is particularly protected from the effects of the weather, thus ensuring a long service life.

With the high-quality tilt reset, the cassette retains the starting position in its retracted position at every individually selected pitch.

Novetta CC:
The perfect compact cassette

The Novetta CC ensures greater creative freedom. The maximum dimensions with a width of 6.5 m and projection of 4 m provide ideal shading for your large terrace. The Novetta CC can also be coupled together to provide even greater width. This can then achieve a maximum shading area of around 45 square metres.

The proven Novetta technology and a modern design perfectly complement the requirement for a unique living solution in the open air.







Novetta Plus H with a fully enclosed sleeve





Novetta XH | XS with greater projection than width





Side view of the **Prima TS** with an integrated protective hood and tilt joint with a windlock mechanism

Novetta Plus H: The protective sleeve awning

The Novetta Plus H offers well-proven awning technology with optimum safety thanks to highly resilient chain-operated articulated arms.

The protective sleeve provides all-round protection for the awning fabric in all weather conditions. The easily removable valance can be safely and securely concealed in the sleeve during the winter season.


For specific structural situations, the Novetta XS offers the option of choosing an awning projection that is greater than the width. This so-called narrow awning is also available as a Novetta XH articulated arm awning with a protective sleeve for the awning fabric.


Prima TS: The solid standard awning

The Prima TS back bar awning offers solid quality in a robust construction combined with a modern design. It provides pleasant shading on terraces and balconies.


The integrated protective rain hood of the Prima TS offers additional protection against dirt and the effects of the weather. This extends the service life of the awning. The aluminium side cover optimally rounds off the design. With the appropriate brackets, the awning can be easily mounted on the wall, ceiling or rafters.








Prima T with a rigid arm connection and pitch adjustment option





Novetta Basic with a rigid, extruded arm mount and a highly resilient chain-operated articulated arm



Novetta Plus 1 with a drop-forged arm mount and an integrated windlock mechanism and tilt reset





Novetta Basic | Plus 1: The open articulated arm awnings

The Novetta Basic already defines the high demands placed on the Novetta articulated arm awning range. Proven frame technology, solid workmanship and extensive equipment variants provide scope for a variety of designs.

The Novetta Plus 1 has classic awning technology with sophisticated technical details and exclusive equipment. The fixing of the articulated arm directly to the wall, ceiling or rafters with wide brackets gives the awning excellent structural stability and provides safety when gusts of wind occur.

Prima T: The solid standard awning

This back bar awning offers solid quality in a robust construction combined with a modern design at a particularly attractive price.

The Prima T open awning provides pleasant shading on terraces and balconies. With the appropriate brackets, the awning can be easily mounted on the wall, ceiling or rafters.



Fig. Novetta Plus F cassette awning

Awning product overview

	Variant			Width			Projection | Pitch				Drive			Frame colours					Mounting			Equipment				
Type	Open	Hood | Sleeve | Compact	Cassette	Min.	Max.	Max. when coupled together	Min.	Max.	Max. when coupled together	Pitch	Gear unit incl. winding handle	Motor	Radio motor RTS / io	RAL 9016 Traffic white	RAL 9006 White aluminium	Anthracite texture (colour 61)	Novacolor colours	RAL standard colours	Wall	Ceiling	Rafters	Valance shape 1 +2	Drop down valance with a gear unit[1]	Drop down valance with an electric drive[1]	Protective rain hood	Integrated lighting system
Prima T	x			1890	6000	–	1500	3000	–	5° – 45°	M	S	A	S	S	S	A	A	S	A	A	S	–	–	A	–
Prima TS		x		1970	6000	–	1500	3000	–	5° – 45°	M	S	A	S	S	S	A	A	S	A	A	S	–	–	–	–
Prima C1			x	1724	6000	–	1500	3000	–	5° – 45°	M	S	A	S	S	S	A	A	S	A	A	–	–	–	–	–
Prima CC		x		1970	6000	–	1500	3000	–	5° – 45°	M	S	A	S	S	S	A	A	S	A	A	A	–	–	–	–
Novetta Basis	x			1750	7000	14000	1500	4000	3500	5° – 45°	M	S	A	S	S	S	A	A	S	A	A	S	A	–	A	–
Novetta Plus 1	x			1770	7000	14000	1500	4000	3500	5° – 45°	M	S	A	S	S	S	A	A	S	A	A	S	A	–	A	–
Novetta XS	x			1120	4250	–	1500	4000	–	5° – 30°	M	S	A	S	S	S	A	A	S	A	A	S	A	–	–	–
Novetta XH		x		1120	4250	–	1500	4000	–	5° – 15°	M	S	A	S	S	S	A	A	S	A	A	S	A	–	–	–
Novetta Plus H		x		1830	6000	12000	1500	4000	3500	5° – 45°	M	S	A	S	S	S	A	A	S	A	A	S	A	–	–	–
Novetta Plus 2	x			1830	6000	–	1500	3000	–	8° – 45°	M	S	A	S	S	S	A	A	S	A	A	S	–	–	A	–
Novetta CC		x		1830	6500	13000	1500	4000	3500	5° – 45°	M	S	A	S	S	S	A	A	S	A	A	A	A	A[3]	–	–
Novetta Plus Q			x	1840	6500	–	1500	3500	–	5° – 40°	M	S	A	S	S	S	A	A	S	A	A	A	–	–	–	–
Novetta Plus F			x	1780	8000	13000	1500	4000	3500	5° – 40°	M	S	A	S	S	S	A	A	S	A	A[2]	–	A	A[3]	–	A

Please note that not all size combinations are possible.

M = Price reduction | S = Standard | A = For a surcharge | – = Not possible

1) Not for coupled systems
2) Not possible for widths greater than 6501 mm
3) Drop down valance with solar-battery-powered io radio motor

Awning frame colours

Anthracite texture (colour 61)

White aluminium (RAL 9006)

Traffic white (RAL 9016)



Anthracite grey (RAL 7016 FS) (surcharge)

Grey aluminium (RAL 9007 FS) (surcharge)

All RAL colours (surcharge)



Nova Hüppe GmbH
Sun shading systems

Schmiedeweg 4+6
26135 Oldenburg, Germany
Phone +49 441 39036-0
www.novahueppe.de

Explanation of the pictograms (MP=for a surcharge):



Maximum width | Maximum projection | Max. width of coupled systems | Pitch angle (decentralised) | Drop down valance | Wind force (Beaufort scale) | LED lighting system | Solar-powered | Winding handle | Maximum load capacity due to drop-forged parts

Twilight recommended – use in a vertical direction:
Summer thermal insulation. Anti-glare protection. View to the outside. Dimensionally stable.

Smart home ready - prepared for the Somfy Tahoma® Switch smart home system

Colour, material and technology are subject to change without notice (0,1/04.26)FA.