


Outdoor Living

Product portfolio



Der SonnenLichtManager





Outdoor Living

Stylish open spaces

Hello sun!

To make your personal outdoor dream come true, we offer trendy and high-grade made-to-measure sun shading products. Tailor them to your own interior style and extend your personal living space into the outdoors. Breath-taking awning highlights and many other solutions meet even the most demanding design requirements, creating a unique atmosphere on patios and in gardens and loggias.

Be inspired and experience the diverse WAREMA world for yourself.





Contents

06 / Terrea patio awnings

Terrea 550
Terrea 580
Terrea K60
Terrea K50
Terrea K70
Terrea H60
Terrea G60
Terrea 530
Terrea 700S
Equipment extras

20 / Patio side screen

Patio side screen 390
Equipment extras

22 / Perea pergola awnings

Perea P20
Perea P40
Perea P40 WeatherEdition
Perea P60
Perea P70
Equipment extras

32 / Free-standing awning frame

34 / Lamaxa slat roof systems

Lamaxa L50 View
Lamaxa L50
Lamaxa L50 Tex
Lamaxa L50 Line
Lamaxa L50 Star unit
Lamaxa L60
Lamaxa L70
Lamaxa L60/L70 Line
Lamaxa as free-standing installation
Equipment extras

48 / Climara conservatory awnings

Climara W10
Climara W20
Climara W9
Climara W19
Climara W7
Climara D3
Equipment extras

58 / Sonea sun sail

Sonea S40
Sonea S50
Sonea S70
Equipment extras

64 / Insect screens

Roller blind
Fixed frame
Swivel door
Sliding door
Pleated blind
Swinging door
GrandSlide side roller blind
Insect screen gauzes

76 / At a glance

80 / More than sun shading

Terrea patio awnings

Make space for something great





Want to enjoy more time outdoors without compromising on a perfect sun shading system? With the help of our innovative awning solutions, you can create an entirely new living space on your own patio where the whole family can work, relax or play. In our current range, you will find high-grade Terrea patio awnings to suit every installation situation and every taste. Attractive designs and frame colours ensure you have the greatest design freedom. And the clever accessories guarantee optimum operating comfort and a real boost to your quality of life.





Cassette awning Terrea 550

Slender cassette design


With this cassette awning, everyone can look forward to pleasant afternoons on a perfectly shaded patio. The small and compact design of the cassette perfectly matches any facade.

Equipment extras

- / Valance
- / LED strip light rail
- / Radiant heater
- / Operation with WMS transmitter and app
- / WMS Wind sensor protects the awning in strong winds
- / Fabric lettering (screen printing)
- / Wall connection profile with rain hood

Your benefits

- / Installation possible in protected and unprotected positions thanks to the closed cassette
- / Very flat, compact design
- / Unobtrusive, harmonious integration into the facade



Max. width/projection/ inclination angle	4,500 mm/2,500 mm/40°
Cassette	182x108 mm
Articulated arm	Power transmission via flexband
Drive	Motor, optional: WMS Radio motor, crank
Colour	Powder-coated in RAL 9016, RAL 9006, DB703, optional according to WAREMA Colour World
Awning fabric	Acrylic fabric, optional All Weather acrylic fabric, Starlight Blue, Soltis-92, Twilight Pearl
Installation	Wall and ceiling installation, rafter installation



Terrea 580 cassette awning

Classic design


This cassette awning ensures a harmonious, comfortable atmosphere. The compact look promises unobtrusive integration into the building facade to shade large areas whilst remaining stylish.

Equipment extras

- / Valance or valance roller blind with crank
- / Integrated LED strips or LED strip light rail
- / Radiant heater
- / Operation with WMS transmitter and app
- / WMS Wind sensor protects the awning in strong winds
- / Fabric lettering (screen printing)
- / Wall connection profile with rain hood

Your benefits

- / Installation possible in protected and unprotected positions thanks to the closed cassette
- / Shading for large areas
- / Flat, compact design that emphasises the modern design



Max. width/projection/ inclination angle	5,500 mm/3,000 mm/40°(with motor)/25°
Cassette	226x129 mm
Articulated arm	Power transmission via flexband
Drive	Motor, optional: WMS Radio motor, crank
Colour	Powder-coated in RAL 9016, RAL 9006, DB703, optional according to WAREMA Colour World
Awning fabric	Acrylic fabric, optional All Weather acrylic fabric, Starlight Blue, Soltis-92, Twilight Pearl
Installation	Wall and ceiling installation, rafter installation



Terrea K60 cassette awning

Extensive shading


Versatile, functional, inspiring: this compact cassette awning offers everything that makes for a reliable sun shading system. The oval cassette can be stylishly integrated into any facade and protects the fabric and the articulated arms from the wind and weather.

Equipment extras

- / Valance roller blind with crank, motor or WMS Comfort control
- / Integrated LED strips or LED strip light rail
- / Valance
- / Radiant heater
- / Operation with WMS transmitter and app
- / WMS Wind sensor protects the awning in strong winds
- / Fabric lettering (screen printing)
- / Wall connection profile with rain hood

Your benefits

- / Installation possible in protected and unprotected positions thanks to the closed cassette
- / Reliable shading system for large areas
- / Comfortable visual privacy in combination with a patio side screen or valance roller blind
- / WMS Comfort control for unbeatable comfort



Max. width/projection/ inclination angle	7,000 mm/4,000 mm/30° (with adjustable console)
Cassette	240x165 mm
Articulated arm	Power transmission via chain or cable, optionally via segment
Drive	Motor, optional: WMS Radio motor, crank
Colour	Powder-coated in accordance with WAREMA Colour World
Awning fabric	Acrylic fabric, optional All Weather acrylic fabric, Starlight Blue, Soltis-92, Twilight Pearl
Installation	Wall and ceiling installation, rafter installation





Terrea K50 cassette awning

Small and linear

LINE
CUBIC


Enjoy optimum sun shading even on the smallest of patios or balconies. This cassette awning is particularly well suited to small areas and does not compromise on flexibility and design as a result. It is now also available with a valance roller blind – for undisturbed feel-good moments on your patio.

Equipment extras

- / Integrated LED strips or LED strip light rail
- / Radiant heater
- / Operation with WMS transmitter and app
- / WMS Wind sensor protects the awning in strong winds
- / Fabric lettering (screen printing)
- / Valance roller blind with crank
- / Wall connection profile with rain hood

Your benefits

- / Installation possible in protected and unprotected positions thanks to the closed cassette
- / Flat, compact design with small dimensions
- / Exclusive product design in cubic shape
- / Small mounting distance to wall and ceiling



Max. width/projection/ inclination angle	5,000 mm/3,000 mm/35°
Cassette	200x130 mm
Articulated arm	Power transmission via flexband
Drive	Motor, optional: WMS Radio motor, crank
Colour	Powder-coated in RAL 9016, RAL 9006, DB703, optional according to WAREMA Colour World
Awning fabric	Acrylic fabric, optional All Weather acrylic fabric, Starlight Blue, Soltis-92, Twilight Pearl
Installation	Wall and ceiling installation, rafter installation



Terrea K70 cassette awning

Cubic design highlight

LINE
CUBIC


Are you a fan of simple design and straight lines? Then you will love this cassette awning. With its compact, rectangular construction, it fits seamlessly into cubic architectural designs with flat or mono-pitched roofs.

Equipment extras

- / Valance roller blind with crank, motor or WMS Comfort control
- / Integrated LED strips or LED strip light rail
- / Radiant heater
- / Operation with WMS transmitter and app
- / WMS Wind sensor protects the awning in strong winds
- / Fabric lettering (screen printing)
- / Wall connection profile with rain hood

Your benefits

- / The cassette provides reliable protection of the awning fabric and articulated arms against dirt and weather
- / Exclusive product design
- / Reliable, proven functionality
- / High-grade, stylish appearance
- / Fully integrated WMS Comfort control for unbeatable comfort
- / Wide range of designs and frame colours available



Max. width/projection/ inclination angle	7,000 mm/4,000 mm/35°
Cassette	240x190 mm
Articulated arm	Power transmission via chain or cable, optionally via segment
Drive	Motor, optional: WMS Radio motor
Colour	Powder-coated in accordance with WAREMA Colour World
Awning fabric	Acrylic fabric, optional All Weather acrylic fabric, Starlight Blue, Soltis-92, Twilight Pearl
Installation	Wall and ceiling installation, rafter installation



Half-closed Terrea H60 articulated arm awning

Flexibly extendable


Thanks to this articulated arm awning, you can count on comfortable cool spaces even on hot days. The integrated rain hood and the optional fabric bearing shell ensure that the awning fabric is fully protected, even in bad weather.

Equipment extras

- / Valance roller blind with crank, motor or WMS Comfort control
- / Integrated LED strips or LED strip light rail
- / Radiant heater
- / Operation with WMS transmitter and app
- / WMS Wind sensor protects the awning in strong winds
- / Fabric lettering (screen printing)
- / Turning gear

Your benefits

- / Protection from above for the awning fabric and articulated arms thanks to the standard rain hood
- / Additional fabric protection from below thanks to the optional fabric bearing shell
- / Large selection of design options
- / LB model available for large projection with small awning width



Max. width/projection/ inclination angle	7,000 mm/4,000 mm/45°
Articulated arm	Power transmission via chain/cable, optionally via segment
Drive	Motor, optional: WMS Radio motor, crank
Colour	Powder-coated in accordance with WAREMA Colour World
Awning fabric	Acrylic fabric, optional All Weather acrylic fabric, Starlight Blue, Soltis-92, Twilight Pearl, lacquered fabric Precontraint 302
Installation	Wall and ceiling installation, rafter installation



Open Terrea G60 articulated arm awning

Textile product design


This articulated arm awning, with its distinctively textile look, ensures perfect protection even when the sun is low in the sky – thanks to the option of adjusting the inclination angle to up to 85° as well as the optional valance roller blind.

Equipment extras

- / Valance roller blind with crank, motor or WMS Comfort control
- / Integrated LED strips or LED strip light rail
- / Radiant heater
- / Operation with WMS transmitter and app
- / WMS Wind sensor protects the awning in strong winds
- / Fabric lettering (screen printing)
- / Turning gear

Your benefits

- / Protection against low sun by adjusting the inclination angle to up to 85°
- / LB model available for large projection with small awning width



Max. width/projection/ inclination angle	7,000 mm/4,000 mm/85°
Articulated arm	Power transmission via chain or cable, optionally via segment
Drive	Motor, optional: WMS Radio motor, crank
Colour	Powder-coated in accordance with WAREMA Colour World
Awning fabric	Acrylic fabric, optional All Weather acrylic fabric, Starlight Blue, Soltis-92, Twilight Pearl, fabric lacquer Precontraint 302
Installation	Wall and ceiling installation, rafter installation



Open Terrea 530 articulated arm awning

Solid basic model


Want to enjoy the pleasant summer air? Despite its understated design, this articulated arm awning never fails to impress when it comes to function. It is an ideal shading system which leaves nothing to be desired.

Equipment extras

- / LED strip light rail
- / Radiant heater
- / Operation with WMS transmitter and app
- / WMS Wind sensor protects the awning in strong winds
- / Fabric lettering (screen printing)

Your benefits

- / Protection against low sun by adjusting the inclination angle to up to 90°
- / Large selection of design options
- / LB model available for large projection with small awning width



Max. width/projection/ inclination angle	6,000 mm/3,000 mm/90°
Articulated arm	Power transmission via textile strip
Drive	Motor, optional: WMS Radio motor, crank
Colour	Powder-coated in RAL 9016, RAL 9006, DB703, optional according to WAREMA Colour World
Awning fabric	Acrylic fabric, optional All Weather acrylic fabric, Starlight Blue, Soltis-92, Twilight Pearl, fabric lacquer Precontraint 302
Installation	Wall and ceiling installation, rafter installation



Open Terrea 700S articulated arm awning

Invisible integration


With this articulated arm awning, you can create a pleasant shaded spot at any time. Thanks to the invisible installation in the shaft, it blends discreetly into the building facade.

Equipment extras

- / Operation with WMS transmitter and app
- / WMS Wind sensor protects the awning in strong winds
- / Fabric lettering (screen printing)

Your benefits

- / Can be fully integrated into the facade
- / Individual adjustment of the front cover panel to the facade design
- / Modern design and reliable protection – exactly when you need it
- / Optimal utilisation of space
- / Large selection of designs, whether simple or eye-catching



Max. width/projection/ inclination angle	5,960 mm/3,000 mm/20°
Articulated arm	Power transmission via chain/cable, optionally via segment
Drive	Motor, optional: WMS Radio motor
Colour	Powder-coated in accordance with WAREMA Colour World
Awning fabric	Acrylic fabric, optional All Weather acrylic fabric, Starlight Blue, Soltis-92, Twilight Pearl
Installation	Wall installation

Equipment extras



Design radiant heater

- / Modern, flat housing
- / The housing is powder-coated, meaning it can be matched to the colour of the sun shading product frame
- / High power with 2200 Watts
- / Switching and dimming in three heating stages with WMS dimmer 0-10 V
- / Easy operation via WMS transmitter or smartphone

550	580	K60	K50	K70	H60	G60	530	700S
•	•	•	•	•	•	•	•	•



Valance roller blind

- / Valance roller blind in the front rail, extending vertically
- / Crank or motor drive
- / Convenient operation using the WMS Comfort control
- / Perfect protection against low-lying sun

550	580	K60	K50	K70	H60	G60	530	700S
-	•	•	•	•	•	•	-	-



Turning gear


- / The awning's inclination angle can be adapted to the position of the sun by simply turning the crank

550	580	K60	K50	K70	H60	G60	530	700S
-	-	-	-	-	•	•	-	-



Valance shapes

- / Elegant awning closure available in three shapes, from straight to curved
- / Perfectly matching trim in various colours



550	580	K60	K50	K70	H60	G60	530	700S
•	•	•	-	-	•	•	•	-



Integrated lighting

- / Integrated LED strips or LED strip light rail
- / Infinite variability of light intensity via the WMS dimmer
- / Operation with WMS hand-held transmitter or smartphone

550	580	K60	K50	K70	H60	G60	530	700S
-	•	•	•	•	•	•	-	-



WMS Hand-held transmitter

- / Patio awnings, valance roller blinds, LED lighting and radiant heaters can be operated at the press of a button
- / Available as a 1-channel and 6-channel hand-held transmitter
- / Comfort functions (sun control, dawn/dusk control, temperature control) can be switched on and off

550	580	K60	K50	K70	H60	G60	530	700S
•	•	•	•	•	•	•	•	•



WMS Wind sensor

- / Awning retracts automatically in high winds
- / Barely visible when mounted to the front rail of the awning
- / Sensitivity of the WMS Wind sensor adjusted to the projection of the awning
- / Vibration sensor precisely detects movement on the front rail

550	580	K60	K50	K70	H60	G60	530	700S
•	•	•	•	•	•	•	•	•



WMS WebControl pro

- / Patio awnings, valance roller blinds, LED lighting and radiant heaters can be operated via the app or using Alexa voice assistant
- / Optional access via cloud
- / Pre-set control functions are customisable (sun control, dawn/dusk control, wind and precipitation monitoring)

More at www.warema.de/webcontrol

550	580	K60	K50	K70	H60	G60	530	700S
•	•	•	•	•	•	•	•	•

Patio side screen

Undisrupted enjoyment






Patio side screen 390

Lateral protection

Enjoy maximum protection against low sun, prying eyes or a balmy summer breeze. Our patio side screen can be extended simply by pulling the handle.

Your benefits

- / Lateral wind protection, sun shading and visual privacy
- / Optional sloped fabric angle adapts perfectly to patio awnings, pergola awnings, or patio roofs
- / The cassette offers perfect protection for the retracted awning fabric
- / Simple operation via handle



Max. height	2,500 mm
Max. extension	5,000 mm
Max. area	10 m ²
Operation	Handle
Colour	Powder-coated in accordance with WAREMA Colour World
Awning fabric	Acrylic fabric, optional All Weather acrylic fabric, Soltis-92, Twilight Pearl
Installation	Installation of the cassette on the wall or in the reveal

Perea pergola awnings

Stylish open space





Do you expect your sun system to not only provide a cozy spot in the shade outdoors, but to also place great importance on attractive design?

Discover the high-grade Perea pergola awnings from WAREMA. They impress with their harmonious styling and add unique highlights to any patio. At the same time, the stable construction ensures optimum sun shading and weather protection at all times – even in stormy weather. The range of designs, colours and frame colours, in addition to the numerous extras, guarantees a maximum level of design freedom and operating comfort.

Extend your summertime by many days with our Perea pergola awnings and treat yourself to an extra touch of comfort!





Perea P20 Pergola awning

A sunny outlook

LINE
CUBIC


Look forward to a perfect combination of reliable and wind-stable sun shading – for a real feel-good space on your patio. The slender design and the construction shape with straight lines, as well as a rectangular cover panel and discreet lateral guide rails make it a real eye-catcher.

Equipment extras

- / Optional travelling reinforcement profile
- / Integrated LED strips
- / LED strip light rail with rectangular light rail profile
- / Radiant heater
- / Operation with WMS transmitter and app
- / WMS sensor system for sun control as well as wind and precipitation monitoring
- / Wall connection profile with rain hood

Your benefits

- / Slender and stylish design
- / Modern shape matches the cubic architecture
- / High wind stability
- / Excellent fabric tension thanks to the reinforcement profile



Max. width	6,500 mm
Max. depth	6,000 mm
Drive	Motor, optional: WMS Radio motor
Colour	Powder-coated in accordance with WAREMA Colour World
Awning fabric	Acrylic fabric, optional All Weather acrylic fabric, Starlight Blue, Screen fabric, Soltis-92, Twilight Pearl
Installation	Installation of the poles on on-site foundation or ground screws, fixing of cover panels to building wall





Pergola awning Perea P40

Stylish shade provider


Combine first-class sun shading with outstanding design and turn your patio into a real oasis of enjoyment with a Perea pergola awning. For even more individuality, you have the choice between a curved and straight guide rail. A real eye-catcher for your house!

Equipment extras

- / Optional travelling reinforcement profile
- / Valance roller blind with crank or motor
- / Integrated LED strips or LED strip light rail
- / Radiant heater
- / Operation with WMS transmitter and app
- / WMS sensor system for sun control as well as wind and precipitation monitoring
- / Wall connection profile with rain hood

Your benefits

- / Extension of a patio or commercial area
- / secudrive® technology: the awning fabric runs tightly and securely in the guide rail without any light gaps
- / Guide rails can be straight or curved



Max. width	6,500 mm
Max. depth	7,000 mm
Drive	Motor, optional: WMS Radio motor
Colour	Powder-coated in accordance with WAREMA Colour World
Awning fabric	Acrylic fabric, optional All Weather acrylic fabric, Starlight Blue, Soltis-92, Twilight Pearl
Special feature	Model with straight or curved guide rails
Installation	Installation of the poles on on-site foundation or ground screws, fixing of cover panels to building wall



Pergola awning Perea P40 WeatherEdition

Weather resistance meets slender design


The pergola awning combines sun shading and weather protection in a practical way. The generous translucent fabric keeps out heat and, thanks to the integrated drainage grid, also offers effective protection against rain. Matching accessories such as atmospheric LED strips also create a comfortable ambience in the evening.

Equipment extras

- / Integrated LED strips
- / Radiant heater
- / LED strip light rail
- / Operation with WMS transmitter and app
- / Free-standing awning frame
- / WMS sensor system for sun control as well as wind and precipitation monitoring

Your benefits

- / secudrive® technology: the awning fabric runs tightly and securely in the guide rail without any light gaps
- / Weather-resistant and rainproof fabric for a pleasant climate beneath the awning
- / Drainage grid incorporated into the fabric for safe rain drainage



Max. width	6,000 mm
Max. depth	5,000 mm
Drive	Motor, optional: WMS Radio motor
Colour	Powder-coated in accordance with WAREMA Colour World
Awning fabric	Sunworker Top, Sunvas Perla FR
Special feature	Rainproof (rain class 2) with integrated drainage grid
Installation	Installation of the poles on on-site foundation or ground screws, fixing of cover panels to building wall



Perea P60 pergola awning

Perfect protection in wind and rain


With this rainproof Perea awning, you can enjoy the outdoors regardless of the weather and use nature as additional space. A PVC grid built into the fabric enables controlled water drainage into the integrated drainage gutter.

Equipment extras

- / Radiant heater
- / Patio side screen or lateral fixed frame
- / Operation with WMS transmitter and app
- / Front-mounted awnings with easyZIP guidance for vertical shading
- / GranTex with easyZIP guidance for vertical shading for large widths and slender boxes
- / Integrated LED strips or LED strip light rail

Your benefits

- / Slender appearance
- / Controlled drainage
- / Weather resistant despite transparent fabrics
- / secudrive® technology: the awning fabric runs tightly and securely in the guide rail without any light gaps



Max. width	6,000 mm
Max. depth	5,000 mm
Max. area	30 m ²
Drive	Motor, optional: WMS Radio motor
Colour	Powder-coated in accordance with WAREMA Colour World
Awning fabric	Sunvas Perla FR, Sunworker Top
Installation	Wall, ceiling and rafter installation



Perea P70 pergola awning

Extravagant weather protection


Thanks to the weather-resistant Perea awning, you can spend more time on your patio - whether in the evening hours or during bad weather. The innovative pleating technology provides an extravagant awning design.

Equipment extras

- / Radiant heater
- / Patio side screen or lateral fixed frame
- / LED strip light rails on the reinforcement profiles
- / GranTex with easyZIP guidance for vertical shading for large widths and slender boxes
- / Front-mounted awnings with easyZIP guidance for vertical shading

Your benefits

- / Pleating technology for attractive appearance
- / Travelling reinforcement profiles ensure very good fabric tension
- / Weather-resistant and rainproof fabric for a pleasant climate beneath the awning
- / Very high wind stability
- / Controlled rainwater drain



Max. width	6,000 mm
Max. depth	6,000 mm
Max. area	36 m ²
Drive	Optional motor: WMS plug receiver
Colour	Powder-coated in accordance with WAREMA Colour World
Awning fabric	Soltis W96
Installation	Wall installation

Equipment extras



Design radiant heater

- / Modern, flat housing
- / The housing is powder-coated, meaning it can be adapted to the colour of the frame
- / High power with 2200 Watts
- / Switching and dimming in three heating stages with WMS dimmer 0-10 V
- / Easy operation via WMS transmitter or smartphone

P20	P40	P40WE	P60	P70
•	•	•	•	•



Integrated lighting

- / Integrated LED strips
- / Operation with WMS hand-held transmitter or smartphone
- / The warm white light can be individually adjusted with the WMS dimmer

P20	P40	P40WE	P60	P70
•	•	•	•	-



Outdoor power socket

- / Reliable power supply under the Perea pergola awning
- / The power socket is available in three colours
- / Simple positioning in the pole

P20	P40	P40WE	P60	P70
-	-	-	•	•



Vertical shading with easyZIP guidance

- / Alternatively, front-mounted awnings or GranTex, each with easyZIP guidance
- / Large design selection
- / Particularly stable and strong hold thanks to zipper system

P20	P40	P40WE	P60	P70
-	-	-	•	•



The wide WAREMA SPECTRUM collection

- / Large selection of acrylic fabrics for Perea P20 and P40
- / Weather and rain resistant fabric qualities for Perea P40 WeatherEdition, P60 and P70

Acrylic fabrics ●
Weather resistant fabrics ○

P20	P40	P40WE	P60	P70
●	●	○	○	○



WMS sensor system

- / Automatic retraction of the sun shading system in wind and rain
- / Automatic extension of the sun shading system in sunlight

P20	P40	P40WE	P60	P70
●	●	-	-	-



WMS WebControl pro

- / Pergola awnings, valance roller blinds, LED lighting and radiant heaters can be operated with the app or using Alexa voice assistant
 - / Optional access via cloud
 - / Pre-set control functions are customisable (sun control, dawn/dusk control, wind and precipitation monitoring)
- More at www.warema.de/webcontrol

P20	P40	P40WE	P60	P70
●	●	●	●	●



WMS Hand-held transmitter

- / Pergola awnings, valance roller blinds, LED lighting and radiant heaters can be operated at the press of a button
- / Available as a 1-channel and 6-channel hand-held transmitter
- / Comfort functions (sun control, dawn/dusk control, temperature control) can be switched on and off

P20	P40	P40WE	P60	P70
●	●	●	●	●

Free-standing awning frame

Discover new open spaces






Free-standing awning frame

Smart solution

The new free-standing awning frame is the ideal solution for maximum flexibility when it comes to designing your outdoor spaces. It is suitable for use wherever wall installation is not possible. The sturdy frame can be fitted with an articulated arm, cassette or pergola awnings on one or two sides, depending on requirements.

Your benefits

- / The powder-coated aluminium frame can be installed flexibly – regardless of building facade
- / The two-sided awning connection allows particularly large areas to be shaded
- / With unilateral mounting, it can also be attached to building facades that do not allow direct connection for structural reasons
- / Installation on a concrete foundation or flexibly with weighted boxes
- / Can be used for articulated arm awnings, cassette awnings and pergola awnings
- / Available as a series-mounted unit



Max. width	7,000 mm
Max. depth	7,000 mm
Drive	Motor
Colour	Powder-coated in accordance with WAREMA Colour World
Awning connection	unilateral, two-sided
Installation	Free-standing, wall installation

Lamaxa slat roof systems

Stylish living spaces of your dreams





Looking for an elegant shading solution for your open space that also provides protection against rain?

Our new beautiful Lamaxa roof systems make this possible. Look forward to an exclusive product that offers plenty of scope for your individual design ideas thanks to a wide range of colours. The well thought-out design provides safe sun and weather protection at the same time. Exactly where you need it. The stable slats can be flexibly turned as well as extended and retracted. This way you can enjoy as much sun as you like and, even if it rains, you can still enjoy your open space.

Enjoy life outdoors to the fullest and make the most of nature.





Lamaxa L50 View patio roof

Sun shading with a view


Thanks to the transparent glass roofing, the cubic glass roof allows a heavenly view of the sky. Combined with an internal or external Climara conservatory awning, effective sun shading is also guaranteed. You can enjoy your favourite spot with plenty of light, protected from the weather year round.

Equipment extras

- / Integrated lighting in the rafters and pole
- / Conservatory awning Climara W10 or W20
- / Use of GranTex with easyZIP guidance for vertical shading
- / Glass, wooden or aluminium sash frames
- / Radiant heater and outdoor power socket
- / Operation with WMS transmitter and app
- / WMS Weather station for sun control as well as wind and precipitation monitoring

Your benefits

- / Covers areas up to 7 m wide and 4.5 m long with only 2 or 4 self-supporting poles
- / Slender design
- / Wind-protected outdoor seating area – even in bad weather



Max. width	7,000 mm
Max. length	4,500 mm
Colour	Powder-coated in accordance with WAREMA Colour World, HWR fine texture surface quality
Installation	Wall connection installation, optionally free-standing





Lamaxa L50 slat roof

A stylish oasis of well-being



reddot winner 2021


Enjoy reliable protection against sun, wind and rain on your patio the whole year round. The robust slat roof impresses with its slender shapes and guarantees the highest level of user comfort thanks to tiltable slats. A large selection of innovative extras ensures maximum individuality. For a real boost to quality of life!

Equipment extras

- / Integrated LED strips or indirect RGB lighting
- / GranTex with easyZIP guidance for vertical shading
- / Lateral glass, wooden or aluminium sash frames
- / Radiant heater and outdoor power socket
- / Operation with WMS transmitter and app

Your benefits

- / Free-standing or mounted to the wall
- / Motor perfectly integrated in the slat
- / Sunlight can be individually adjusted via slat tilting
- / WMS Weather station for sun control as well as wind and precipitation monitoring



Max. width	4,500 mm
Max. length	6,020 mm
Drive	WMS Radio motor
Colour	Powder-coated in accordance with WAREMA Colour World, HWR fine texture surface quality
Installation	Free-standing, optional wall connection



Lamaxa L50 Tex fabric roof

Stylish eye-catcher


Whether free-standing or perfectly fitted against the house wall: the elegant fabric roof adapts perfectly to any installation situation. The moveable fabric is an absolute highlight. It can be adjusted along the path of the product and, thanks to the secudrive® guidance, does not allow any light to escape at the sides. What patio dreams are made of!

Equipment extras

- / GranTex with easyZIP guidance for vertical shading
- / Radiant heater and outdoor power socket
- / Dimmable LED strips or indirect RGB lighting
- / Lateral glass, wooden or aluminium sash frames
- / Additional pole to create a clear throughhole
- / Offset pole to create a roof overhang

Your benefits

- / Movable sun shading system made from acrylic fabric
- / The rolled up fabric disappears into the cover panel, where it is protected from the weather
- / Operation with WMS transmitter and app
- / WMS Weather station for sun control as well as wind and precipitation monitoring



Max. width	4,500 mm
Max. length	6,000 mm
Drive	WMS Radio motor
Colour	Powder-coated in accordance with WAREMA Colour World, HWR fine texture surface quality
Awning fabric	Standard acrylic fabric
Installation	Free-standing, optional wall connection



L50 Line slat roof

Great enjoyment of the outdoors


The slender Lamaxa L50 Line is perfect for stylishly shading very large areas—for example for outdoor catering. Several units can be coupled on the long or wide side, according to your needs. Thanks to tiltable slats, optimal enjoyment of the sun is always guaranteed.

Equipment extras

- / Integrated LED strips or indirect RGB lighting
- / GranTex with easyZIP guidance for vertical shading
- / Lateral glass, wooden or aluminium sash frames
- / Radiant heater and outdoor power socket
- / Offset pole to create a roof overhang

Your benefits

- / Up to 6 roofs can be installed in a row
- / Very large areas can be shaded
- / Offset pole to create a roof overhang
- / Operation via WMS hand-held transmitter
- / WMS Weather station for sun control as well as wind and precipitation monitoring



Max. width	27 m (6 roofs in a row)
Max. length	36 m (6 roofs in a row)
Slats	Slats are tiltable
Drive	WMS Radio motor
Frame colour	Powder-coated in accordance with WAREMA Colour World, HWR fine texture surface quality
Installation	Free-standing, optional wall connection



Slat roof L50 star system

Sun shading systems on a grand scale


Looking to shade very large outdoor catering areas in style? The elegant star unit allows several systems to be linked together in length and width – precisely tailored to your space requirements. Create an inviting atmosphere for guests and a tasteful outdoor space to relax and unwind.

Equipment extras

- / Integrated LED strips or indirect RGB lighting
- / GranTex with easyZIP guidance for vertical shading
- / Lateral glass, wooden or aluminium sash frames
- / Radiant heater and outdoor power socket
- / Protection profile for an attractive closure between the crossbeam and slat and for protection against splash water
- / Offset pole to create a roof overhang

Your benefits

- / Along with the Line version, the L50 is now also easily combinable as a star system
- / Ideally suited for the food service industry
- / Operation with WMS transmitter and app
- / WMS Weather station for sun control as well as wind and precipitation monitoring



Max. width	27 m (6 roofs in a row)
Max. length	36 m (6 roofs in a row)
Slats	Slats are tiltable
Drive	WMS Radio motor
Frame colour	Powder-coated in accordance with WAREMA Colour World, HWR fine texture surface quality
Installation	Free-standing, optional wall connection



Lamaxa L60 slat roof

All-round weather-resistant protection


The Lamaxa L60 slat roof provides exactly the right amount of sun for your favourite spot outdoors. Thanks to the practical slat tilting, you can precisely regulate how much sun you want to enjoy. When the slats are closed, the slat roof offers reliable protection against rain.

Equipment extras

- / Integrated awnings with easyZIP guidance
- / Lateral glass, wooden or aluminium sash frames
- / Dimmable LED strips or indirect RGB lighting
- / Automatic control with the WMS Weather station
- / Radiant heater and outdoor power socket
- / Reliable weather protection when slats are closed
- / Additional pole to create a clear throughhole

Your benefits

- / Free-standing or mounted to the wall
- / Can be used flexibly
- / Sunlight can be individually adjusted via slat tilting
- / Offset pole to create a roof overhang
- / Operation with WMS transmitter and app
- / Protective profile for optimal closure between the slat and cross-beam



Max. width	4,750 mm
Max. length	6,330 mm
Slats	Slats are tiltable
Drive	WMS Radio motor
Frame colour	Powder-coated in accordance with WAREMA Colour World, HWR fine texture surface quality
Installation	Free-standing, optional wall connection



Lamaxa L70 slat roof

A dreamy retreat


The Lamaxa L70 slat roof is your haven for relaxing in the sunshine – but also when it's raining and you still want to spend time outdoors. The advantage of the Lamaxa L70: the slats can not only be tilted via remote control, but also retracted and extended.

Equipment extras

- / Integrated awnings with easyZIP guidance
- / Radiant heater and outdoor power socket
- / Dimmable LED strips or indirect RGB lighting
- / Lateral glass, wooden or aluminium sash frames
- / Additional pole to create a clear throughhole
- / Offset pole to create a roof overhang

Your benefits

- / Free-standing or mounted to the wall
- / Slats can be tilted and manoeuvred at the press of a button
- / Can be adjusted to the position of the sun
- / Operation with WMS transmitter and app
- / WMS Weather station for sun control as well as wind and precipitation monitoring



Max. width	4,750 mm
Max. length	6,330 mm
Slats	Slats are tiltable and manoeuvrable
Drive	WMS Radio motor
Frame colour	Powder-coated in accordance with WAREMA Colour World, HWR fine texture surface quality
Installation	Free-standing, optional wall connection



L60/L70 Line slat roof

Full flexibility


Outdoor family celebrations can now go off without a hitch, even if the weather isn't playing ball. Because the Lamaxa slat roof is also available as a series-mounted unit. This means two units can be positioned on one central pole. For celebrating and relaxing outdoors with no limitations.

Equipment extras

- / Integrated awnings with easyZIP guidance for vertical shading
- / Radiant heater and outdoor power socket
- / Dimmable LED strips or indirect RGB lighting
- / Lateral glass, wooden or aluminium sash frames
- / Optionally with additional pole to create a clear throughhole
- / Operation with WMS transmitter and app
- / Protective profile for optimal closure between the slat and crossbeam (L60 Line)

Your benefits

- / For shading very large areas
- / Free-standing or mounted to the wall
- / Slat tilting and/or manoeuvring at the press of a button
- / Can be linked together in length or width
- / A combination of L60 and L70 provides perfect flexibility
- / Convenient control with the WMS Weather station



Max. width	4,500 mm/9,000 mm
Max. length	6,000 mm/12,000 mm
Slats	Slats are tiltable and/or manoeuvrable
Drive	WMS Radio motor
Frame colour	Powder-coated in accordance with WAREMA Colour World, HWR fine texture surface quality
Installation	Free-standing, optional wall connection



Lamaxa slat roof as free-standing installation

Unrestricted view


The Lamaxa makes way for brand new design options thanks to flexible wall consoles. The stylish design enables an unrestricted view outside as it does not need any poles. The Lamaxa is built into existing structures, such as concrete rings. This variant is available for Lamaxa L60 and L70.

Equipment extras

- / Radiant heater
- / Dimmable LED strips (direct and/or indirect lighting), horizontal installation
- / RGB lighting as an indirect option
- / Operation with WMS transmitter and app
- / WMS weather station for sun control as well as wind and precipitation monitoring

Your benefits

- / Free design options
- / Can be taken into consideration when planning your home
- / Architectural design element



Max. width	4,750 mm
Max. length	6,330 mm
Slats	Slats are tiltable and manoeuvrable
Drive	WMS Radio motor
Frame colour	Powder-coated in accordance with WAREMA Colour World, HWR fine texture surface quality
Installation	Integrated installation

Equipment extras



Vertical shading with easyZIP guidance

- / Integrated awning with easyZIP guidance provide ideal privacy, sun, and wind protection
- / High wind stability and strong hold thanks to zipper system

L50 View	L50	L50 Tex	L50 Line	L50 Star	L60	L70	L60/L70 Line	L60/L70 Free
•	•	•	•	•	•	•	-	-



Sash frames

- / Elegant glass sliding systems
- / Wood or aluminium sliding shutters
- / Can be conveniently ordered together with the Lamaxa slat roof

L50 View	L50	L50 Tex	L50 Line	L50 Star	L60	L70	L60/L70 Line	L60/L70 Free
•	•	•	•	•	•	•	•	-



Outdoor power socket

- / Reliable power supply underneath the Lamaxa
- / The power socket is available in three colours
- / Simple positioning in the pole


L50 View	L50	L50 Tex	L50 Line	L50 Star	L60	L70	L60/L70 Line	L60/L70 Free
•	•	•	•	•	•	•	•	-



LED/RGB lighting

- / Direct or indirect LED lighting
- / Direct or indirect RGB lighting
- / LED lighting in the pole (L60/L70) or on the pole (L50)
- / LED lighting in the rafters (L50 View)
- / LED lighting in the slats (L50/L60)

L50 View	L50	L50 Tex	L50 Line	L50 Star	L60	L70	L60/L70 Line	L60/L70 Free
•	•	•	•	•	•	•	•	•



Offset/additional pole

- / Offset poles create a roof overhang to cover adjacent objects such as pools
- / When integrating easyZIP awnings, a clear throughhole can be created with an additional pole

Offset pole	●
Additional pole	○

L50 View	L50	L50 Tex	L50 Line	L50 Star	L60	L70	L60/L70 Line	L60/L70 Free
-/o	●/o	●/o	●/o	●/o	●/o	●/o	●/o	-



Design radiant heater

- / Modern, flat housing
- / The housing is powder-coated, meaning it can be matched to the colour of frame of the sun shading product
- / High power with 2200 Watts
- / Switching and dimming in three heating stages with WMS dimmer 0-10 V
- / Easy operation via WMS transmitter or smartphone

L50 View	L50	L50 Tex	L50 Line	L50 Star	L60	L70	L60/L70 Line	L60/L70 Free
●	●	●	●	●	●	●	●	●



WMS WebControl pro

- / Slats, integrated awnings, LED lighting and radiant heaters can be operated with the app or using Alexa voice assistant
 - / Optional access via cloud
 - / Pre-set control functions are customisable (sun control, dawn/dusk control, wind and precipitation monitoring)
- More at www.warema.de/webcontrol

L50 View	L50	L50 Tex	L50 Line	L50 Star	L60	L70	L60/L70 Line	L60/L70 Free
●	●	●	●	●	●	●	●	●



KNX converter WMS

- / Integration of WMS-controlled outdoor living products such as slat roofs into a KNX system
- / Commands are transmitted to the KNX converter WMS via KNX and relayed to the WMS receivers by radio
- / Ideal for retrofitting or expanding an existing KNX system without any hassle
- / Operation and automation possible with WMS transmitters and sensors

L50 View	L50	L50 Tex	L50 Line	L50 Star	L60	L70	L60/L70 Line	L60/L70 Free
●	●	●	●	●	●	●	●	●

Climara conservatory awnings

Pleasant ambience





Do you want to be able to spend the whole year relaxing in your conservatory and enjoying the view of nature?

With Climara conservatory awnings you can feel completely comfortable all the time, while being perfectly protected from the sun when necessary. Depending on your requirements, we offer optimal sun shading, visual privacy and glare control – whether it be for classic conservatories, individual architectural solutions with large glass surfaces or patio roofs. Thanks to the variety of designs, colours and many extras, you can design your sun shading system to perfectly fulfil your wishes.

Transform your home into your own feel-good oasis with WAREMA!





Conservatory awning Climara W10

Full shading

LINE
CUBIC


Enjoy the four seasons in your conservatory and always be perfectly protected thanks to your conservatory awning. The conservatory awning Climara W10 is mounted internally under glass. We are keeping up with the trend for clean shapes with our new cubic cover panel.

Equipment extras

- / Valance roller blind with crank or motor
- / Integrated LED strips
- / LED strip light rail
- / Rectangular cover panel alternatively as cubic design
- / Direction of movement "from bottom to top" also possible
- / Operation with WMS transmitter and app

Your benefits

- / Versatile, modern sun protection inside, or under glass
- / secudrive® technology: the awning fabric runs tightly and securely in the guide rail without any light gaps
- / Flat and compact design
- / Round or rectangular cover panel shape available



Max. width	6,500 mm
Max. length	6,000 mm
Max. area	30 m ²
Drive	Motor, optional: WMS Radio motor
Colour	Powder-coated in accordance with WAREMA Colour World
Awning fabric	Acrylic fabric, optionally Starlight Blue, Soltis-92, Screen fabric, Twilight Pearl
Installation	Installation under glass or internal installation using brackets with different spacings



Climara W20 conservatory awning

Wind-stable professional

CLINE
CUBIC


With this external conservatory awning, you can effectively keep the heat out during summer and spoil yourself with warming sunrays in the winter. Thanks to the innovative secudrive® guidance, there is no incidence of light between the fabric and guide rail and a high wind stability is guaranteed. Optionally also available with a rectangular panel system.

Equipment extras

- / Direction of movement "from bottom to top" also possible
- / WMS sensor system for sun control as well as wind and precipitation monitoring
- / Operation with WMS transmitter and app
- / Mutual interlocking with ventilation wing

Your benefits

- / Reliable heat protection and sun shading for a pleasant indoor climate
- / Flat and compact design
- / secudrive® technology: the awning fabric runs tightly and securely in the guide rail without any light gaps
- / High wind stability
- / Optional rectangular cover panel with matching rectangular reinforcement profile



Max. width	6,500 mm
Max. length	6,000 mm
Max. area	30 m ²
Drive	Motor, optional: WMS Radio motor
Colour	Powder-coated in accordance with WAREMA Colour World
Awning fabric	Acrylic fabric, optional All Weather acrylic fabric, Starlight Blue, Soltis-92, Screen fabric, Twilight Pearl
Installation	External installation, installation via brackets possible at various distances



Conservatory awning Climara W9

Sophisticated functionality


Experience a real "outdoor feeling" in your conservatory – perfectly protected from unpleasant weather. The functionally sophisticated Climara W9 is particularly easy to install under glass.

Equipment extras

- / Valance roller blind with crank
- / Operation with WMS transmitter and app

Your benefits

- / Tried and tested back-pull system
- / Simplified installation
- / Internal shading for large areas



Max. width	6,000 mm
Max. length	6,000 mm
Max. area	30 m ²
Drive	Motor, optional: WMS Radio motor
Colour	Powder-coated in accordance with WAREMA Colour World
Awning fabric	Acrylic fabric, optionally Starlight Blue, Soltis-92, Twilight Pearl
Installation	Installation under glass or internal installation using brackets with different spacings



Conservatory awning Climara W19

Ideal protection


Just sit back and enjoy. Use your conservatory as your personal haven and equip it with your Climara W19 conservatory awning. The durable back-pull system is additionally protected by a brush seal, making it even more reliable than before.

Equipment extras

- / Operation with WMS transmitter and app
- / Direction of movement "from bottom to top" also possible
- / WMS Weather station for sun control as well as wind and precipitation monitoring

Your benefits

- / External wind-stable shading
- / Durable and proven back-pull system in a new design
- / Perfect in combination with the Climara D3



Max. width	6,000 mm
Max. length	6,000 mm
Max. area	30 m ²
Drive	Motor, optional: WMS Radio motor
Colour	Powder-coated in accordance with WAREMA Colour World
Awning fabric	Acrylic fabric, optionally Starlight Blue, Soltis-92, Twilight Pearl
Installation	Installation over glass, externally using brackets with different spacings




Climara W7 conservatory awning

Discreet all-rounder

With Climara awnings, you can enjoy your personal "outdoor feeling" 365 days a year – perfectly protected in your own home. Thanks to its direct installation on the conservatory profile, the Climara W7 model is integrated in a particularly unobtrusive way.

Your benefits

- / Unobtrusive fixing by means of direct installation of the guide rails on the conservatory profile
- / Perfect sun shading for individually designed conservatories
- / The awning fabric protrudes laterally beyond the guide rails, enabling optimum shading even with sloping or bevelled conservatories
- / Optimum fabric tension thanks to gas pressure springs in the guide rails



Max. width	6,000 mm
Max. length	4,500 mm
Max. area	24 m ²
Drive	Optional motor with WMS plug receiver
Colour	Powder-coated in accordance with WAREMA Colour World
Awning fabric	Acrylic fabric, optional All Weather acrylic fabric, Starlight Blue, Soltis-92
Installation	External installation or directly on the conservatory profiles




Climara D3 conservatory awning

Individuality right down to the last detail

Do you place great importance on individuality when it comes to your conservatory? We offer a customised solution for almost any requirement. The Climara D3 is perfectly suited to shading triangular windows. Create a vibrant space for well-being.


Your benefits

- / Versatile design options
- / Tried and tested technology for long-lasting joy with your awning
- / Perfect combination with the WAREMA conservatory awning W19
- / Versatile installation on trapezoidal or triangular glass surfaces



Max. width	4,000 mm
Max. length	5,000 mm
Max. area	10 m ²
Drive	Motor, optional: WMS Radio motor
Colour	Powder-coated in accordance with WAREMA Colour World
Awning fabric	Acrylic fabric, optionally Soltis-92, Twilight Pearl
Installation	External installation, installation via brackets possible at various distances

Equipment extras



LED strip light rail

- / Switching and dimming in stages with WMS Dimmer (LED) and WMS transmitter
- / Suitable for the W10 with rectangular cover panel shape also with a rectangular LED strip light rail profile


W10	W20	W9	W19	W7	D3
•	•	•	•	•	•



Integrated lighting

- / LED strips in the guide rails
- / Switching and dimming in stages with WMS Dimmer (LED) and WMS transmitter

W10	W20	W9	W19	W7	D3
•	-	-	-	-	-



secudrive®

- / Tight guidance of the fabric
- / Offers wind stability
- / Stops light gaps at the sides
- / Optional WMS sensor system for sun control, wind and precipitation monitoring for secudrive® units

W10	W20	W9	W19	W7	D3
•	•	-	-	-	-



Valance roller blind

- / Vertically extending valance roller blind
- / Operated by crank or motor
- / Comfortable operation of the valance roller blind with battery-powered motor and WMS control (only W10)

W10	W20	W9	W19	W7	D3
•	-	•	-	-	-



WMS sensor system

- / Protection against storm damage: wind and precipitation monitoring protects the awning from damage caused by extreme weather conditions.
- / No overheated conservatories: the sun control extends your awnings at the right time using the transmitted brightness values.
- / The WMS sensor system is unobtrusive when mounted on the guide rail.

W10	W20	W9	W19	W7	D3
-	•	-	-	-	-



WMS Hand-held transmitter

- / Pergola awnings, valance roller blinds, LED lighting and radiant heaters can be operated at the press of a button
- / Available as a 1-channel and 6-channel hand-held transmitter
- / Comfort functions (sun control, dawn/dusk control, temperature control) can be switched on and off

W10	W20	W9	W19	W7	D3
•	•	•	•	•	•



WMS WebControl pro

- / Awnings, valance roller blinds and LED lighting can be operated with the app or using Alexa voice assistant
- / Optional access via cloud
- / Pre-set control functions are customisable (sun control, dawn/dusk control, wind and precipitation monitoring)

More at www.warema.de/webcontrol

W10	W20	W9	W19	W7	D3
•	•	•	•	•	•



WMS Weather station

- / Automatic retraction of the sun shading system in wind and rain
- / Automatic extension of the sun shading system in sunlight

W10	W20	W9	W19	W7	D3
•	•	•	•	•	•

Sonea sun sail

Aesthetic lightness





Would you like to create your personal space in the shade outdoors without compromising on a light look and the highest level of comfort?

Make your summer dreams come true with our elegant Sonea sun sails and transform your garden or patio into a unique oasis of well-being. Our stylish shading solutions offer you limitless design variety and maximum comfort. For a considerable improvement in quality of life.

Enjoy the sunny side of life – with WAREMA.






Sonea S40 sun sail

Flexible shady spot

Treat yourself to a holiday in your garden. Our light sun sail impresses with its characteristic square fabric shape and offers the perfect combination of modern design and high-grade shading – whether free-standing or mounted on the wall. The crank operation makes it easy to extend and retract – without a power supply or needing to install lines.

Your benefits

- / Stylish aesthetics and maximum comfort
- / Safe and convenient operation
- / The sail extends and retracts easily thanks to the practical single-point operation with crank drive
- / Optional height adjustment for lowering the fabric offers protection when the sun is low
- / Clean design and particular stability thanks to the cable deflection (black)



Max. width	9,000 mm
Max. extension per side	4,500 mm
Drive	Crank
Colour	Powder-coated in accordance with WAREMA Colour World or in stainless steel look W4923, poles optionally in stainless steel design
Awning fabric	Acrylic plain coloured




Sonea S50 sun sail

Shading at its best

Make your summer dreams come true at home. The airy and elegant sun sail impresses with its stability, a convenient crank operation and the radial fabric cut – an extraordinary design element and a real eye-catcher. For that special something on the exterior wall or in the garden.

Your benefits

- / Triangular fabrics with symmetrical or asymmetrical fabric
- / Flexible fixing possible, even on the exterior wall
- / Stable poles for open spaces, powder-coated in accordance with the WAREMA Colour World or in a stainless steel look W4923, optionally in a stainless steel design
- / Optional height adjustment for lowering the fabric offers protection when the sun is low
- / Ideal for shading large areas
- / Clean design and particular stability thanks to the cable deflection (black)



Max. width	9,000 mm
Max. extension per side	6,500 mm
Drive	Crank
Colour	Powder-coated in accordance with WAREMA Colour World or in stainless steel look W4923, poles optionally in stainless steel design
Awning fabric	Acrylic plain coloured



Sonea S70 sun sail

Stylish design highlight




reddot winner 2021

Relax in style with your sun shading system: the compact sun sail impresses with a light and modern look, a variety of design options and well thought-out details. For example, technical components such as the motor are completely hidden within the fabric shaft. A real eye-catcher for your garden and patio.

Your benefits

- / Triangular fabrics with symmetrical or asymmetrical fabric
- / Excellent design for gardens and patios
- / Optional height adjustment for lowering the fabric offers protection when the sun is low
- / Poles can optionally be powder-coated in accordance with WAREMA Colour World or in stainless steel look W4923
- / Wall connection possible
- / WMS Weather station for automatic fabric retraction when the weather changes
- / Clean design and particular stability thanks to the cable deflection (black)



Max. width	9,000 mm
Max. extension per side	6,500 mm
Drive	Motor with WMS Plug receiver
Colour	Powder-coated in accordance with WAREMA Colour World or with a stainless steel look W4923
Awning fabric	Acrylic plain coloured

Equipment extras



Height adjustment

- / Thanks to the optional height adjustment, the fabric can be lowered and offers protection when the sun is low
- / Easy manual operation
- / Ideal for west-facing patios

S40	S50	S70
•	•	•



Protective cover

- / Protective cover for Sonea S70, S50 and S40
- / Safe from moisture, rain and snow. The fabric retains its original shine and remains radiantly beautiful even after the winter

S40	S50	S70
•	•	•



WMS Radio remote control

- / Fabric retracts automatically in high winds
- / Convenient operation with a WMS hand-held transmitter or smartphone via WMS WebControl pro
- / Only available for Sonea S70

S40	S50	S70
-	-	•

Insect screens

Undisrupted well-being





Do you want to enjoy the balmy summer air while relaxing in your home?

Then you need to keep troublemakers like mosquitoes, wasps and even pollen outside. With our innovative insect screen and pollen protection solutions, you can relax and breathe easy at all times. Whether for windows, patio doors or integrated into sun shading systems, our elegant and extremely stable systems are suitable for any application and are also available in special shapes. Special fabric models ensure a perfect view out or reliable protection against pollen as desired.

For more fun in the summer and a boost to your quality of life – with WAREMA insect screens and pollen protection.




Insect screen roller blind

Flexible protection against insects

A breath of fresh air is always welcome in stuffy loft spaces - unlike pesky insects, which only need a small window gap to enter. The fixed insect screen roller blind provides the ideal solution to keep out the intruders. The insect screen roller blind can be installed vertically on both conventional windows and doors and on roof slopes.

Your benefits

- / Securely mounted, ready for use at any time
- / Soft-raise function for smooth and controlled raising of the roller blind
- / Easy closing by engaging into the labyrinth lock
- / Wind-stable thanks to lateral fixing of the gauze using brush seals in the guide rails



Max. width/height	2,000 mm/2,400 mm
Max. area	4.8 m ²
Operation	Manual operation with handle rail, driven by integrated spring-loaded shaft
Gauze	WAREMA VisionAir Gauze
Cassette and guide rails	Aluminium, extruded, surface powder-coated
Fields of application	Vertical windows and doors, (roof) slopes and skylights
Installation	In the reveal, suitable for all window frames, for installation on window frames, only for flush or offset windows without protruding water drips




Insect screen fixed frame

Practical year-round solution

Air your rooms thoroughly, even on warm summer evenings, and look forward to a restful sleep without pesky mosquitoes or moths. The stable and securely mounted insect screen fixed frame adapts to any window thanks to its unobtrusive appearance. The optional brush seal closes every last loophole.

Your benefits

- / For a great variety of windows (even those with sloped window sills)
- / For use in sloped areas, e.g. on skylights
- / Securely mounted and therefore very stable
- / Suitable for retrofitting
- / Rectangular and round special shapes are available (depending on type)
- / Inward alignment of the gauze possible (depending on type)



Max. width/height/max. area	3,000 mm/3,000 mm/4.5 m ²
Operation	Securely mounted to the window
Gauze	WAREMA VisionAir gauze, WAREMA VisionAir pollen protection gauze, WAREMA VisionAir fine dust gauze, wear-resistant gauze, stainless steel gauze
Frame profile	Aluminium, extruded, surface powder-coated
Fields of application	For windows which are only opened for ventilation, windows in special shapes
Installation	Tightly screwed to the reveal, with spring pins in lateral fixing holes, hang-in type with adjustable or spring-loaded corner plates on flush and offset windows (no on-site installation)




Insect screen swivel door

Reliable protection

Insect screens and pollen protection for patio and balcony doors guarantee unlimited enjoyment. The magnetic catch for the insect screen swivel door seals reliably and the kick profile also protects the lower section of the gauze.

Your benefits

- / Closes reliably and tightly thanks to the magnetic catch and integrated closing aid
- / Kick profile in the lower section protects the gauze
- / Cross rail with integrated handle rail for reinforcement
- / Flexible operation from inside or outside
- / Pet door can be integrated



Max. width/ height/area	1,300 mm per panel / 2,500 mm per door panel; 1800 mm per window panel / 2.5 m ² per panel
Operation	Operation via handle rail. Closes with integrated closing aid and magnetic catch
Gauze	WAREMA VisionAir gauze, WAREMA VisionAir pollen protection gauze, WAREMA VisionAir fine dust gauze, wear-resistant gauze, stainless steel gauze
Frame profile	Aluminium, extruded, surface powder-coated
Models	One-wing or two-wing
Fields of application	Passages to balconies or patios, frequently opened windows and doors, one-wing or two-wing windows and doors, special shapes, for sloped exits and/or window sills
Installation	With three-sided or surrounding mounting frame, without mounting frame on window or door frame




Insect screen sliding door

Space-saving solution

Whether inside or outside, look forward to a relaxed summertime - completely free of unwelcome "troublemakers". The insect screen sliding door takes up very little space as it slides along the wall and is available as a one-wing or two-wing model for large glass surfaces.

Your benefits

- / Ideal for large areas
- / Flexible operation from inside or outside using a handle shell on the inside and outside
- / Comfortable solution that takes up little space



Max. width/ height/area	2,100 mm per panel/3,000 mm per panel/6 m ² per panel
Operation	Manual sliding of the frame
Gauze	WAREMA VisionAir gauze, WAREMA VisionAir pollen protection gauze, WAREMA VisionAir fine dust gauze, wear-resistant gauze, stainless steel gauze
Frame profile	Aluminium, extruded, surface powder-coated
Models	One-wing or two-wing
Fields of application	Passages to conservatories, patios, balconies or glazed facade sections, one-wing and two-wing windows and doors
Installation	With a surrounding mounting frame on or in the reveal, in rails, guided by base, wall or U-shaped profiles, directly on the wall or in a niche




Insect screen pleated blind

Effective in even the smallest space

You can effectively protect yourself from pesky insects, even on small balconies or patios. The insect screen pleated blind can be moved horizontally and disappears into the frame to save space.

Your benefits

- / Horizontally movable insect screen pleated blind slides into the frame to save space
- / Flexible operation from inside and outside by means of integrated handle rail
- / Operation at any height



Max. width	2,200 mm
Max. height	2,600 mm
Max. area	5.7 m ²
Operation	Manual sliding of the insect screen pleated blind
Gauze	Pleated
Aluminium parts	Extruded, surface powder-coated
Fields of application	In the reveal, on an even substructure




Insect screen swinging door

Completely secure

Insect screen and pollen protection from WAREMA offers convenient operation and effective protection all in one. The insect screen swinging door is easy to operate - even if your hands are full. It automatically swings back to the starting position.

Your benefits

- / Closes reliably and tightly
- / Cross rail with integrated handle rail for reinforcement
- / Flexible operation from inside or outside
- / Automatic closing mechanism due to swinging of the door



Max. width/height	1,300 mm/2,500 mm
Max. area	2.5 m ²
Operation	Operated by handle rail, the insect screen swinging door automatically swings back to the starting position
Frame profile	Aluminium, extruded, surface powder-coated
Models	One-wing
Fields of application	Passages to balconies or patios, frequently used windows and doors
Installation	With mounting frame on three or all four sides




GrandSlide insect screen side roller blind

For particularly large areas

The GrandSlide insect screen side roller blind is particularly suitable for large areas and adapts to the opening. It can be horizontally moved into the desired position using the handle rail. When it is no longer required, the screen unobtrusively disappears into the lateral aluminium cassette. The side roller blind can be fitted either externally or internally.

Your benefits

- / For particularly large glass fronts such as modern lift and slide doors
- / Easy to use and flexibly adjustable
- / Disappears unobtrusively into the cassette
- / Unobstructed but protected view thanks to WAREMA VisionAir Maxi-Gaze




Max. width/height	2,500 mm or 5,000 mm for two-wing units / 2,800 mm
Max. area	7 m ² or 14 m ² for two-wing doors
Operation	Manual via handle rail
Gauze	WAREMA VisionAir Maxi gauze
Aluminium parts	Extruded, surface powder-coated
Fields of application	Large lift and slide doors, on the inside for folding glass walls, for two-wing units without centre mullion
Installation	Inside or outside







Insect screen gauzes




WAREMA VisionAir Maxi gauze

- / Fabric resistant to tears and corrosion
- / Brilliant view out and effective air circulation
- / Standard with GrandSlide insect screen side roller blind
- / Colour: black



WAREMA VisionAir Gauze


- / Highly transparent, tear-resistant fabric
- / Nearly invisible
- / Brilliant view out and excellent air circulation
- / Colour: black



WAREMA VisionAir pollen protection gauze


- / Effective protection against pollen
- / Colour: black






WAREMA VisionAir fine dust gauze

- / Highly transparent, tear-resistant fabric
- / Effective protection against insects, pollen and fine dust
- / Colour: black



Wear-resistant gauze

- / Durable polyester mesh gauze
- / For heavy wear and tear, such as in homes with pets
- / Colour: black



High-grade stainless steel gauze

- / Suitable for heavy wear and tear
(e.g. scratching by pets)
- / Durable and wear-resistant



Everything at a glance

		Cassette awnings					Articulated arm awnings				Patio side screens	Pergola awnings					
							half-closed	open									
		550	580	K50	K60	K70	H60	530	G60	700S	390	P20	P40	P60	P70	P40 Weather Edition	
Features/ construction limit values*	Max. width (mm)	4500	5500	5000	7000	7000	7000	6000	7000	5960	2500	6500	6500	6000	6000	6000	
	Max. projection/depth/height (mm)	2500	3000	3000	4000	4000	4000	3500	4000	3000	5000	6000	7000	5000	6000	5000	
	Inclination	5-40°	5-40°	5-35°	5-30°	5-35°	5-45°	0-90°	5-85°	5-20°	–	0 -15°	0-45°	9-15°	7-20°	9-15°	
	Installation	outside		outside			outside	outside		Shaft	outside	outside					
	Power transmission/guidance	Flexband			Segment, chain, steel cable		Segment, chain, steel cable	Flex-band	Segment, chain, steel cable		–	secudrive®			Back-pull	secu-drive®	
Operation		Crank, motor, WMS Radio motor				Motor, WMS Radio motor	Crank, motor, WMS Radio motor			Motor, WMS Radio motor	Handle	Motor, WMS Radio motor			Motor, WMS plug receiver	Motor, WMS Radio motor	
Fabric qualities in accordance with the WAREMA collection	Acrylic	●	●	●	●	●	●	●	●	●	●	●	●	–	–	–	
	All Weather acrylic fabric	○	○	○	○	○	○	○	○	○	○	○	○	–	–	–	
	Soltis-92	○	○	○	○	○	○	○	○	○	○	○	○	–	–	–	
	Twilight Pearl	○	○	○	○	○	○	○	○	○	○	○	○	–	–	–	
	Soltis W96	–	–	–	–	–	–	–	–	–	–	–	–	–	●	–	
	Sunworker Top	–	–	–	–	–	–	–	–	–	–	–	–	●	–	●	
	Starlight Blue	○	○	○	○	○	○	○	○	○	–	○	○	–	–	–	
	Sunvas Perla FR	–	–	–	–	–	–	–	–	–	–	–	–	●	–	●	
Standard colours		3	3	3	Colours in accordance with WAREMA Colour World			3	Colours in accordance with WAREMA Colour World			Colours in accordance with WAREMA Colour World					
Optional equipment	WMS Wind sensor	○	○	○	○	○	○	○	○	○	–	–	–	–	–	–	
	WMS sensor system	–	–	–	–	–	–	–	–	–	–	○	○	–	–	–	
	Valance	○	○	–	○	–	●	●	●	–	–	–	–	–	–	–	
	Valance roller blind	–	○	○	○	○	○	–	○	–	–	–	○	–	–	–	
	Fabric bearing shell	–	●	●	●	●	○	–	–	–	–	–	–	–	–	–	
	Wall connection profile with rain hood	○	○	○	○	○	–	–	–	–	–	○	○	●	●	○	
	Turning gear	–	–	–	–	–	○	–	○	–	–	–	–	–	–	–	
	LED strip light rail	○	○	○	○	○	○	○	○	○	–	–	○	○	○	○	
	Integrated lighting	–	○	○	○	○	○	–	○	–	–	–	○	○	○	–	○
	Design radiant heater	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
	Free-standing awning frame	○	○	○	○	○	○	○	○	○	–	–	○	○	○	–	○
	LB model	–	–	–	–	–	○	○	○	○	–	–	–	–	–	–	–
Optional extras		WMS Comfort control				Rain hood type 530	WMS Comfort control	Con-cealed shaft installation	Sloped fabric path, Screen fabric quality		WMS Comfort control	Stretcher frame, front-mounted awnings with easyZIP guidance					

* depending on fabric, area limitations possible ● standard ○ optional – not possible

Conservatory awnings						Sun sails		
W10	W20	W9	W19	W7	D3	S40	S50	S70
6500	6500	6000	6000	6000	4000	9000	9000	9000
6000	6000	6000	6000	4500	5000	4500	6500	6500
–	–	–	–	–	–	–	–	–
inside	outside	inside	outside	outside	outside	Free-standing or wall connection		
secudrive®	secudrive®	Back-pull	Back-pull	Back-pull	Back-pull	–	–	–
Motor, WMS Radio motor	Motor, WMS Radio motor	Motor, WMS Radio motor	Motor, WMS Radio motor	Motor, WMS plug receiver	Motor, WMS Radio motor	Crank		Motor with WMS Plug receiver
●	●	●	●	●	●	●	●	●
○	○	○	○	○	○	○	○	○
○	○	○	○	○	○	–	–	–
○	○	○	○	–	○	–	–	–
–	–	–	–	–	–	–	–	–
–	–	–	–	–	–	–	–	–
○	○	○	○	○	○	–	–	–
–	–	–	–	–	–	–	–	–
Colours in accordance with WAREMA Colour World						Colours in accordance with WAREMA Colour World		
–	–	–	–	–	–	–	–	–
–	○	–	–	–	–	–	–	–
–	–	–	–	–	–	–	–	–
○	–	○	–	–	–	–	–	–
–	–	–	–	–	–	–	–	–
–	–	–	–	–	–	–	–	–
–	–	–	–	–	–	–	–	–
○	–	–	–	–	–	–	–	–
○	–	–	–	–	–	–	–	–
–	–	–	–	–	–	–	–	–
–	–	–	–	–	–	–	–	–
–	–	–	–	–	–	–	–	–
Rectangular cover panel shape	Rectangular cover panel shape					Height adjustment, wall consoles, stainless steel poles		Height adjustment, wall consoles


* depending on fabric, area limitations possible ● standard ○ optional – not possible



Everything at a glance

		Roof systems				
		L50 View	L50 Tex	L50	L60	L70
Features/ construction limit values*	Max. width (mm)	7000	4500	4500	4750	4750
	Max. length (mm)	4500	6000	6020	6330	6330
	Installation	Free-standing or wall connection				
	Slats	–	–	Tilttable	Tilttable	Tilttable and moveable
WMS radio remote control		○	●	●	●	●
LED lighting roof systems	In the slats	–	–	○	○	–
	In the rafters	○	–	–	–	–
	Direct/indirect all-round	–	○	○	○	○
	Indirect RGB all-round	–	○	○	○	○
	On the pole	○	○	○	–	–
	In the pole	–	–	–	○	○
Standard colours		Colours in accordance with WAREMA Colour World, HWR fine texture				
Optional equipment	Additional pole	○	○	○	○	○
	Offset pole	–	○	○	○	○
	Glass sliding systems	○	○	○	○	○
	Sash frames in aluminium/wood	○	○	○	○	○
	easyZIP GranTex	○	○	○	–	–
	easyZIP integrated	–	–	–	○	○
	Wall connection profile with rain hood	–	–	○	○	○
	Offset wall console for free installation	–	–	–	○	○
	Design radiant heater	○	○	○	○	○
	Climara W10/W20	○	–	–	–	–
	Outdoor power socket	○	○	○	○	○
	Control	WMS Wetterstation, WMS Hand-held transmitter, WMS WebControl pro, KNX converter WMS				

* Area limitations possible ● standard ○ optional – not possible



The WAREMA Colour World

The art of colours

**COLOUR
WORLD**

The WAREMA Colour World

Colour brings out the magic in the world around us. Particularly when it comes to architecture. Dive into the artistic side of the WAREMA Colour World with our wide range of products. The high-grade, colour powder-coated aluminium components can harmoniously integrate into your architecture – or why not deliberately set colourful accents? Discover your personal colours with your desired surface structure and feel. You can find more information at www.warema.de/farbwelt



Finishes

Our colours are available in three different surface qualities as standard - whereby high weather resistance is the new standard.

Highly weather-resistant matt:

this matt surface retains its colour intensity and does not lose its colour depth even after years of use.

Highly weather-resistant fine texture:

the fine texture surface not only offers protection against the elements, but also brings colours to life with optical effects.

Satin finish:

this surface provides a soft, sophisticated sheen that intensifies the colours for an eye-catching appearance and lasting elegance.

The spectrum of design freedom

The WAREMA Colour World contains three categories: Highlight, Variation and Individual.

- / Highlight: the focus is on pleasant, muted colours that emphasise the high quality and unique design of the sun protection products.
- / Variation: here you will find variations on each basic colour to allow you to refine the colour scheme. The trend toward anodised surfaces is also taken into account here. This category includes a selection of colours in a matte anodised finish ranging from light bronze tones to dark gold shades.
- / Individual: this category presents an extensive selection which focuses on creativity and individuality.



Smart Home

WMS Radio system



With WAREMA control systems, you always have the perfect Smart Home solutions at hand – whether through simple retrofitting, during renovation work or in new buildings. Because today's modern home requires comfort, safety and energy efficiency. Our proven "Made in Germany" systems reliably fulfil your wishes in your personal Smart Home.

The WMS radio system combines the latest technology and an aesthetic design in a sophisticated radio remote control for high demands in private homes. Conveniently operate your sun shading system via wall-mounted transmitter, hand-held transmitter, app and voice control.

Find the ideal solution for your project: www.warema.de/smarthome





WMS transmitter

- / Operation at the press of a button with the WMS hand-held or wall-mounted transmitter
- / Control via the app, Alexa voice control and other control modes thanks to WMS WebControl pro



KNX converter WMS

- / Integration of WMS-controlled outdoor living products, e.g. Lamaxa, into a KNX system
- / Commands are transmitted to the KNX converter WMS via KNX and relayed to the WMS receivers by radio
- / Ideal for retrofitting or expanding an existing KNX system without any hassle
- / Operation and automation possible with WMS transmitters and sensors



WMS Weather stations

- / Record brightness, dawn/dusk, wind speed and WMS Weather station plus also records rain
- / Enables individual comfort and safety automation features
- / The WMS Weather station eco is perfectly suitable for retrofitting - thanks to its solar cell power supply.



Clever functions for your smart home

- / The sun control moves your outdoor living products into the ideal position to avoid direct sunlight and glare.
- / Wind and precipitation monitoring protects awnings and other products from damage in all weather conditions.



Even more WAREMA products

We love sunlight



Experience an atmosphere of well-being with WAREMA products. With our large number of sun shading solutions for windows and facades, you will always find the right solution for new buildings, modernisations or renovation projects.



VisioNeo railing systems

VisioNeo Sun railing systems for windows are the modern 3-in-1 sun shading solution for your floor-to-ceiling window upstairs. This means that fall protection, sun shading and insect screen are integrated into one system and certified according to the applicable standard. Instead of a solid railing, a window pane is integrated as a slender balustrade and creates perfect transparency. Also available as a VisioNeo View railing system for balconies and roof patios.



External venetian blinds

Would you like to control the daylight in your home according to the time of day and your personal preference? Create unique lighting effects and a real feel-good climate? With external venetian blinds from WAREMA, you ensure a real boost to your living quality and maximum energy efficiency.



Roller shutters

Do you want to reliably protect your home against the sun and increase your living comfort and safety at the same time? Then we recommend our roller shutter solutions. They provide effective visual privacy and sun shading, reliable burglary and noise protection and optimum black-out.



Window awnings

Are you looking for an effective sun shading system for your home but don't want to compromise on modern design and functional safety? Our solution: the aesthetic and wind-stable window awnings with numerous designs, colours and designs.

Inspiring testimonials, additional brochures, free samples and helpful tips about sun shading systems and more can be found online: <https://plus.warema.com>
Register now: WAREMA plus – your access to all WAREMA Services





Visionaries. Creators. Partners.

With intelligent, tailored solutions, we have established leading market positions in sun shading and control systems, plastics engineering and mechanical engineering. Our group of companies originated with the WAREMA brand, founded by Hans Wilhelm Renkhoff in 1955, and remains family-owned to this day. Common values such as the highest quality standards, flexibility and rapid decision-making processes are the keys to our success. We believe in proximity. That is why our products have not travelled the world when they reach our customers: we develop and produce exclusively in Germany and Europe. Sustainable. Made to measure and customised.

*"Our divisions and brands share one common goal:
To fulfil the needs of our discerning customers with our technical solutions."*

Angelique Renkhoff-Mücke
Chief Executive Officer, WAREMA Renkhoff SE



The brands of the WAREMA Group

The WAREMA Group is a strong network of brands separated into two divisions:
Sun & Living Spaces and Plastics & Engineering.

Sun & Living Spaces division



WAREMA

The SunLight Manager

The WAREMA brand is the origin of our group of companies and offers sophisticated sun shading solutions for outdoor living and window systems.



CARAVITA

Make every place a favourite

High-grade parasols and sun sails.



ANWIS

Internal sun shading system expert

More than 40 years of experience in the sun shading system market.



CLIP'N'SHADE

External roller blind for heat protection

Living comfort and energy efficiency for simple retrofitting.

Plastics & Engineering division

WAREMA Kunststofftechnik und Maschinenbau

Fastest possible delivery with individual production for the automotive, medical technology and other industries.



For a future worth living. For all of us.



Let's go low

We only have one earth on which we live, which must remain livable in the future! Responsible consumption of resources and energy is therefore just as important to us as the tangible contribution of our products and their production process to climate protection through reduced CO₂ emissions. That's why all measures in our 'Let's go low' initiative follow the same guiding principle: don't compensate - reduce, innovate, and invest instead.



Let's go together

We are a family-owned company with strong values. People are particularly important to us. From our employees to the support of social projects. Diversity has always been undeniably positive for us and a part of everyday life. Just as our founder established our shared social responsibility as part of our ethos. As cooperation is so central to our identity, we are launching an initiative to support this: Let's go together!



Sustainability

Responsibility for nature and people.

To us, sustainability means holistic responsibility – and is deeply rooted in the WAREMA Group's DNA. That means sustainability is nothing new for us. For many years, our work has revolved around people, cooperation, and protecting the environment. We consider ourselves to be active contributors to the energy revolution!

We have therefore set ourselves ambitious goals as part of our sustainability strategy, in order to continue to reduce the carbon footprints of our company and products. We are already on our way to achieving this thanks to a range of measures.

We have been developing and producing sun shading solutions for individual living spaces that impress with their quality and resource-saving longevity since 1955. Last but not least, these can make a decisive contribution to reducing heating and cooling energy and thus make a further contribution to protecting our environment.



Energy-efficient refurbishment with WAREMA

Invest in your own property and enjoy a better quality of life and a lasting increase in value. The sustainable path to the future is worth it for you in many ways.

With a new, durable WAREMA sun shading system, you are not only giving your home a special, unique look but are also actively contributing to climate protection.

Save up to 30% of heating costs thanks to external sun shading systems!

Tip:

Save energy through retrofitting and replacement

Would you like to renovate your entire facade or just modernise individual windows?

No problem with WAREMA sun shading systems. Everything can be easily retrofitted or replaced. And you can improve your heat insulation at the same time:

Depending on the building, the right combination of windows and automated sun shading system can save up to **70% of cooling energy** in summer and up to **30% of heating energy** in winter. Energy savings for artificial light of up to **50%** are also possible.





Experience our showrooms:

www.warema.com/experience

WAREMA Renkhoff SE

Hans-Wilhelm-Renkhoff-Str. 2
97828 Marktheidenfeld • Germany

Representing the following national companies:
www.warema.com/country



2022435/05.2025_en

Product-specific illustrations and information may vary due to structural conditions or technical requirements. Printing errors and deviations from the figures reserved.